

# EmbedObject

Please edit system and help pages  
ONLY in the master wiki!

For more information, please see  
[MoinMoin:MoinDev/Translation](#).

```
##master-page:Unknown-Page ##master-date:Unknown-Date #acl -All:write Default #format wiki  
#language en
```

```
= EmbedObject = <<TableOfContents>>
```

This macro is used to Embed an Object into a wiki page-- objects being things usually handled by plug-ins, such as Flash, PDF, or movies. Optional size of the object could be adjusted. Further keywords are dependent on the kind of application.

If the attachment file isn't uploaded yet the attachment line will be shown.

(!) New in 1.6: MoinMoin has new (for some target types rather experimental) transclusion syntax like this: `{{target|desc|params}}`.

```
== Enabling EmbedObject ==
```

!EmbedObject is an included standard moin macro. However, for security reasons, mimetypes have to be specifically enabled in your wikiconfig.py to enable !EmbedObject.

1. In your wikiconfig.py file, under the "Content options" section, add the following lines: 

```
{{  
mimetypes_xss_protect = ['text/html', 'application/x-shockwave-flash',  
'application/xhtml+xml',]  
mimetypes_embed = ['application/x-dvi', 'application/postscript', 'application/pdf',  
'application/ogg', 'application/vnd.visio', 'image/x-ms-bmp', 'image/svg+xml', 'image/tiff',  
'image/x-photoshop', 'audio/mpeg', 'audio/midi', 'audio/x-wav', 'video/fli', 'video/mpeg',  
'video/quicktime', 'video/x-msvideo', 'chemical/x-pdb', 'x-world/x-vrml',] }}
```

2. You should specifically add and/or remove content types from the {{{mimetypes\_embed}}} to only those you need to use on your site. For example, if you need Flash, move the {{{'application/x-shockwave-flash'}}} from the {{{mimetypes\_xss\_protect}}} to the {{{mimetypes\_embed}}} line.

"see related: HelpOnConfiguration "

```
""supported mimetypes:" . application/x-shockwave-flash . application/x-dvi . application/postscript . application/pdf . application/ogg . application/vnd.visio
```

```
. image/x-ms-bmp . image/svg+xml . image/tiff . image/x-photoshop
```

```
. audio/mpeg . audio/midi . audio/x-wav
```

```
. video/fli . video/mpeg . video/quicktime . video/x-msvideo
```

```
. chemical/x-pdb
```

```
. x-world/x-vrml
```

== Syntax & Usage ==

```
{{{ <<EmbedObject(attachment[,option][,option])>> }}}}
```

""Keyword Parameters:"

Dependent on the mimetype class a different set of keywords is used from the defaults:

```
{{{ width = None, float height = None, float pagename = None, unicode align = middle alt = " play = False loop = False quality = high op = True repeat = False autostart = False menu = True hidden = False }}}}
```

All mimetypes support width & height parameters.

(!) Since 1.7 MoinMoin supports parsing of units. Known units for the parameter width and height are px, em, pt, in, mm and %.

If you don't give a unit the default of px will be used.

Additionally: . {{{'video'}}} supports {{{ repeat, autostart, menu, op }}} . {{{'audio'}}} supports {{{ play, repeat, autostart, op, hidden }}} . the default width is 60 and default height is 20 . {{{'application'}}} supports {{{play, menu, autostart }}}}

== Examples ==

Basic examples: {{{ <<EmbedObject(example.swf)>> <<EmbedObject(example.pdf)>> <<EmbedObject(example.svg)>> }}}}

Realistic examples: {{{ <<EmbedObject(testpdf.pdf,width=100%,height=600px)>>  
<<EmbedObject(example.swf,width=637px,height=392px,play=true,loop=true)>> }}}}

Version #1

Erstellt: 2025-10-27 22:20:27 UTC von ESC-IT Migration Bot

Zuletzt aktualisiert: 2025-10-27 22:20:27 UTC von ESC-IT Migration Bot